

**FOR MAXIMUM
USAGE
&
MAXIMUM
SAVINGS**



RHINOPLY®

**The Rhino Tough Phenolic Board
Formworks Lining**

A Product of:

 **World Home Depot**
CORPORATION

From start to finish, your Construction Solutions Specialist



RHINOPLY®

The Rhino Tough Phenolic Board Formworks Lining

Strong Dynea Film from Finland

- Allows you to create smooth ready-to-paint concrete surfaces

Strong Eucalyptus Core

- Durable and Affordable



WBP Phenolic Glue

- Providing stable binding even under extreme site conditions.

Certified:



**ISO
9001**
QUALITY
ASSURANCE

Rhinoply Phenolic Board is guaranteed Grade A/A Formwork Lining, produced under high quality ISO and CE Certified Manufacturing Standards giving you....

MAXIMUM USAGE & MAXIMUM SAVINGS

PROOF OF TOUGHNESS:


LS LONGITUDINAL
STANDARD

CGS CROSS-GRAIN
STANDARD


BQS BONDING QUALITY
STANDARD

BENDING STRENGTH:



12mm Thickness





18mm Thickness




BONDING QUALITY:



MODULUS OF ELASTICITY:



* Test results have been taken from our own laboratory findings.



RHINOPLY®

The Rhino Tough Phenolic Board Formworks Lining

Sizes : (W) 4 x (L) 8 feet
12mm and 18mm thick

Number of Plies : 12mm = 7 plies
18mm = 11 plies

Surface Finish : Smooth

Film : Brown Dynea Film from Finland

Edge Sealant : Waterproof Acrylic Paint

Core : Eucalyptus

Moisture Content : 8 - 12%

Certifications : CE : ENG36 ISO9001 : 2000
ISO14001 : 2004 FSC



SCAN & EMAIL ME

 **World Home Depot**
CORPORATION

 www.worldhomedepot.com  WorldHomeDepotCorporation

MAIN OFFICE

20 Fortune Avenue, corner Santan Street
Brgy. Fortune, Marikina City, PH 1809
Phone: +63 (2) 8790-1000
Fax Sales: (632) 87901015 to 16
Fax Operations: (632) 87901013 to 14
Email: info@worldhomedepot.com

DAVAO OFFICE

Unit 01-02 DEPC Warehouse, Brgy.
Communal Diversion Rd., Davao City, PH 8000
Phone: +63 (82) 234-0911 to 14
Fax: (082) 2340914
Email: info.davao@worldhomedepot.com